

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Paul Remijan and James E. McDonald


Application No.: 10/042,126

Group Art: 3739

Filed: October 19, 2001

Examiner: Not Assigned

For: MINIATURE ENDOSCOPE WITH IMAGING FIBER SYSTEM



CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231

on 8-14-02 Date Sharlet Ramsland Signature
 Typed or printed name of person signing certificate

REPLY TO NOTICE OF INCOMPLETE REPLY

Box Missing Parts
 Commissioner for Patents
 Washington, D. C. 20231

Sir:

In reply to the Notice to File Missing Parts mailed from the U.S. Patent and Trademark Office on February 14, 2002, and Notice of Incomplete Reply of July 10, 2002, the following documents and fees are being submitted for filing in the captioned application. A copy of the Notice of Incomplete Reply is attached.

[X] TRANSMITTAL OF SUBSTITUTE DRAWINGS

20 Sheets of substitute drawings consisting of FIGS. 1-20 are enclosed.

[X] PETITION FOR EXTENSION OF TIME

[X] Applicant hereby petitions for a further two month extension of time for filing a Reply to the Notice of Missing Parts dated February 14, 2002.

Fee for Additional Extension of Time:

Fee for Total Extension of Four Months	\$1,440	
Less fee paid on May 24, 2002 for 2 months	\$ 400	
Balance of fee due		\$ <u>1,040</u>

[X] A check is enclosed in the amount of the additional extension fee indicated above.

Any deficiency or overpayment should be charged or credited to Deposit Account No. 50-1935. A copy of this letter is enclosed for accounting purposes.

08/21/2002 BARBARA: 0000001 100-2126

01 00116

0000001 00

Respectfully submitted,
 BOWDITCH & DEWEY, LLP

By [Signature]
 Raymond D. Bruttomesso, Jr.
 Registration No.: 33,840
 Telephone (508) 879-5700
 Facsimile (508) 929-3069

Framingham, Massachusetts 01701-9320

Dated: 14 AUGUST 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Paul Remijan and James E. McDonald
Application No.: 10/042,126 Group Art: 3739
Filed: October 19, 2001 Examiner: Not Assigned
For: MINIATURE ENDOSCOPE WITH IMAGING FIBER SYSTEM



CERTIFICATE OF MAILING	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231	
On <u>8-14-02</u> Date	<u>Sharlet Ramsland</u> Signature
<u>Sharlet Ramsland</u> Typed or printed name of person signing certificate	

TRANSMITTAL OF SUBSTITUTE DRAWINGS

Box Missing Parts
Commissioner for Patents
Washington, D.C., 20231

Sir:

In reply to the Notice to File Missing Parts mailed from the U.S. Patent and Trademark Office on February 14, 2002, and Notice of Incomplete Reply of July 10, 2002, transmitted herewith are formal drawings, Figures 1-20, Sheets 1/20 – 20/20 for filing in the subject application.

Acceptance of the formal drawing is respectfully requested.

Respectfully submitted,

BOWDITCH & DEWEY, LLP

By [Signature]
Raymond I. Bruttomesso, Jr.
Registration No. 33,840
Telephone (508) 879-5700
Facsimile (508) 929-3069

Framingham, MA 01701

Date: 14 AUG-02




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/042,126	10/19/2001	Paul Remijan	301499.3000-100

Thomas O. Hoover, Esq.
BOWDITCH & DEWEY, LLP
161 Worcester Road
P.O. Box 9320
Framingham, MA 01701-9320



CONFIRMATION NO. 2027

FORMALITIES LETTER



OC000000008426538

Date Mailed: 07/10/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 06/06/2002 to the Notice to File Missing Parts (Notice) mailed 02/14/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE